

Date:	Project Name:
Type:	Part Number:



SELECTABLE SWITCH



ORION SERIES

LED UFO HIGHBAY

DESCRIPTION

Our new generation LED highbays are ideal for replacing HID High Bay fixtures, offering high performance and long life. Designed precision spherical and convex lens and offers low brightness, uniform illumination and high efficiency LED platform. Designed with easy installation of sensors at the face of the fixture.

FEATURES

- DLC Premium
- Excellent heat dissipation.
- 0-10V Dimming
- NSF Compliant
- Mounting options: hook/chain, pole pendent and surface mounting
- Operating temperature: 4°F to +122°F (-20°C to +50°C)
- Dual Voltage 120-347V
- Suitable for wet locations IP65 rated
- Polycarbonate Lens
- Selectable Wattage
- White Finish
- Includes 6' cord, ring bolt mounting accessory & safety hanging kit
- 7 year warranty

APPLICATIONS

-  Commercial Building
-  Industrial/Warehouse
-  Retail Facility



Date:	Project Name:
Type:	Part Number:

SPECIFICATION

ORDER#	MODEL#	WATTS	VOLTAGE (V)	BEAM ANGLE	DIMMABLE	EFFICACY (lm/W)	CCT (K)
R34221	RENO-HBU-150W-DV-5K-R1-ECO	100/125/150W	120-347V	100°	0-10V	145 lm/W	50K
R34222	RENO-HBU-240W-DV-5K-R2-ECO	150/200/240W	120-347V	100°	0-10V	145 lm/W	50K

ACCESSORIES

ORDER#	MODEL#	DESCRIPTION
R83005	RENO-EM-40RM	EMERGENCY LED DRIVER

SENSOR OPTIONS



ORDER#	MODEL#	DESCRIPTION
R71002	RENO-SENSOR-MW-H	Dimming Microwave Sensor

REMOTE OPTIONS



ORDER#	MODEL#	DESCRIPTION
R73002	RENO-REMOTE-H	Controller for Bi-Level Sensor

Date:	Project Name:
Type:	Part Number:

DIMENSIONS



Rings:



Hooks:

