

Black — I

Green-Grand

White— N AC120-347V



www.votatec.ca

## Installation Instruction

## **Cautions:**

- 1. Can not use the electric generator to test the LED lamp.
- 2. Please abide by related country, regional and local law and regulations where install this fixture.
- 3. Please turn off the power before installation or maintenance.
- 4. Proper earth grounding is required to ensure safety.


## Notice:

- 1. To avoid possibility of electrical shock or fire, the installation personnel must have professional electric knowledge.
- 2. Please wear gloves to avoid injury before installation.
- 3. If any smoke or spark of the wire happens, please turn off the power immediately and notify relevant personnel.

# **Special functions instruction:**


#### 1. CCT Selectable

- 1). The color temperature of the lamp turns to 3000K when the switch is set to WW (Figure A)
- 2). The color temperature of the lamp turns to 4000K when the switch is set to NW (Figure B)
- 3). The color temperature of the lamp turns to 5000K when the switch is set to CW (Figure C)




## 2. Power Selectable

- 1). The power turns to maximum wattage when the switch is set to I (Figure D)
- 2). The power turns to middle wattage when the switch is set to II (Figure E)
- 3). The power turns to minimum wattage when the switch is set to III (Figure F)



# Wiring Diagram:



## Attention:

- 1. Please check if there is any damage during shipping. if so, please contact manufacturer timely.
- 2. Please read this installation instruction carefully to check whether all the accessories are complete.
- 3. After confirmation, then install the fixture according to installation guide.

Brown — Dimming +

Bule — Dimming -





www.votatec.ca

# **Installation Method:**

Step 1: Turn off the electrical (Figure 1)




Figure 1

Step 2: Dill the holes on the wall. (Figure 2)




Figure 2

Step 3: Find a proper position for floodlight (Figure 3)



Figure 3

Step 4: Fix the bracket on the wall, No need to take off the bracket from flood light. (Figure 4)




Figure 4

Step 5: Adjust the right angle through the scale angle Scale angle  $\pm 180^{\circ}$  (Figure 5)




Figure 5

Step 6: Connect the input wire (Figure 6)




Figure 6

Step 7: Turn on the electrical (Figure 7)




Figure 7

